


... WITH SPRADLING  
it's covered<sup>®</sup>



122-2105  
CAMEL

**NEW!**

SILVERTEX® C5 is treated with the most advanced silver ion technology, SILVERGUARD®, a natural environmentally friendly bacteria-fighting defense to inhibit odour and stain causing bacteria. When combined with PERMABLOK<sup>3</sup>®, Spradling's patented stainfighting and abrasion-resistant treatment, also featured in SILVERTEX® C5, SILVERGUARD® delivers the ultimate performance solution.

is a proven vinyl protective coating that is engineered to create a tough, effective barrier against germs, abrasion and stains.

Hi-Loft<sup>2</sup>™ is a specialty knitted textile manufactured with 100% polyester yarns aimed at creating a backing with bulk, strength, and unusual softness. When combined with a vinyl surface, an extremely soft hand quality is achieved without sacrificing product performance. (Adhesion, tear strength, and stretch strength properties are also improved.)



Exzellente Abriebfestigkeit / Resistencia a la abrasión / Resistance a l'abrasion / Abrasion resistant / Resistenza all'abrasione / Doskonała odporność na ścieranie



Wasserabweisend / Impermeabilidad / Imperméabilité / Impermeability / Impermeabilità / Wodoodporny



Lichtechtheit / Durabilidad del color a la luz / Résistance à la lumière / UV resistant / Resistenza raggi solari / Odporny na promieniowanie UV



Kältebruchresistent / Resistencia a bajas temperaturas / Résistance aux basses températures / Low temp. resistant / Resistenza alla rottura da freddo / Odporny na niskie temperatury



Antimikrobiell ausgerüstet / Resistencia a microorganismos / Protection contre des micro-organismes / Mildew resistant / Antimuffa / Odporny na pleśń



Einfache Reinigung / Fácil limpieza / Facilité d'entretien / Easy to clean / Facile da pulire / Łatwy do czyszczenia




Flammhemmend ausgerüstet / Retardancia al fuego / Retardement au feu / Flame retardant / Ritardanza al fuoco / Produkt niepalniony



Chemikalienbeständig\* / Resistencia a químicos\* / Résistance aux produits chimiques\* / Chemical resistant\* / Resistenza chimica\* / Odporny na chemikalia\*

\*Bitte anfragen / Pregunte por asesoría / Sur demande / Upon request / Si prega d'informarsi / na życzenie



122-2089  
WHITE **NEW!**



122-4004  
ICE



122-2090  
ICE CREAM **NEW!**



122-1077  
CREAM



122-1051  
SISAL



122-1078  
CHAMPAGNE




122-0001  
MACADAMIA



122-0002  
SANDSTONE



122-0009  
TAUPE




122-4012  
SHIITAKE



122-1010  
BEIGE



122-2105  
CAMEL **NEW!**



122-4024  
METEOR



122-0005  
MOCCA



122-0073  
LUGGAGE



122-1014  
UMBER



122-2016  
RASPBERRY



122-6004  
RUBIN



122-2003  
COBRE



122-0013  
ORANGE



122-6061  
MANDARIN



122-2012  
SUNKIST



122-2064  
WINE



122-2099  
LOTUS **NEW!**



122-2096  
TOMATO **NEW!**



122-2095  
GRENADINE **NEW!**



122-2011   
RED



122-7002   
MAGENTA



122-2097   
ORCHID



122-2098   
ROSÉ **NEW!**



122-2093 **NEW!**  
SQUASH



122-6065   
SAFRAN



122-6062   
MELON



122-5010   
BOTTLE



122-5009   
SAGE



122-5063   
FOREST



122-5020   
BASIL



122-5008   
PISTACHO




122-5019   
CELERY



122-2092 **NEW!**  
AVOCADO



122-2091 **NEW!**  
CITRUS




122-2100 **NEW!**  
TEAL



122-2104 **NEW!**  
ULTRA VIOLET




122-7001   
AUBERGINE




122-2101 **NEW!**  
ALUMINIUM



122-4001   
PLATA



122-4011   
STERLING



122-4003   
GRAPHITE



122-3001  
TURQUOISE




122-3066  
BALTIC



122-3067  
DELFT



122-2094  
PETROL **NEW!**



122-4010  
TITANIUM



122-9002  
CARBON




122-2102  
CORAL **NEW!**




122-2103  
SKYLIGHT **NEW!**




122-3007  
SAPPHIRE



122-3068  
JET



122-4002  
STORM



122-9001  
BLACK

Also available in BS 5852 Part 2 CRIB 5 quality (article code 239-XXXX)



For Care and Cleaning instructions please visit our website



No Master samples (not suitable for colour matching and quality control / testing purposes).

Commercially acceptable colour shifts may occur between production runs. As such lot separation is recommended.

All SPRADLING® products and services are offered and sold subject to the SPRADLING® General Terms and Conditions of Sale, available for download under [www.spradling.eu](http://www.spradling.eu). Please follow our manufacturing and maintenance guidelines, also available under [www.spradling.eu](http://www.spradling.eu). In the event of failure to comply with these guidelines, no liability is assumed by the manufacturer and any warranty claim(s) (if applicable) expire.



CONTRACT



MARINE



AUTOMOTIVE



OUTDOOR

COATED FABRICS